

Work Order ID 141019

Tuesday, January 26, 2016 3:18:37 PM

141019

Page 1

Item ID: 646.3813

Accept

N900040100Setup Start ***NS1***

Revision ID:

Stop ***NS2***

Item Name: Strut Bracket

Start Date: 1/26/2016 Start Qty: 10.00

10

Cust Item ID:

Required Date: 1/26/2016 Req'd Qty: 10.00

10

Customer:

Reference:

Approvals:

Process Plan: MLJDate: **JAN 28 2016**

Tooling:

Date:

Run Start ***NR1***

QC:

Date:

SPC (Y/N):

Date:

Stop ***NR2***

Sequence ID/ Work Center ID	Operation Description	Set Up/ Run Hours	Tool ID	Tool #	Plan Code	Accept Qty	Reject Qty	Reject Number	Insp. Stamp
Draw Nbr	Revision Nbr								
646.3800	N/C								

110

0.00

110

HAAS CNC VERTICAL MACHINING #1

Mill Conv

Memo

0.08

Conventional Milling Machine

1-Machine per DWG
DWG REV: N/C

2- deburr and break all sharp edges

10 0 J.C.-L. 16-04-08

120

QC2- Inspect parts off machine FAI/FAIB

0.00

120

QC

Memo

0.00

Quality Control

10 0 J.C.-L. 16-04-08

DQA: _____ Date: _____



WORK ORDER NON-CONFORMANCE / UPDATE

QA Closed: _____ Date: _____

Work Order update only ☐

Work Order: _____ Part No. _____ NCR No. _____		DISPOSITION Rework ☐ Scrap ☐ Use-as-is ☐ Suspected Unapproved ☐		AGAINST DEPARTMENT/PROCESS <table style="width:100%; border: none;"> <tr> <td style="width:15%;">Skid-tube ☐</td> <td style="width:15%;">Cross tube ☐</td> <td style="width:15%;">Water Jet ☐</td> <td style="width:15%;">Engineering ☐</td> </tr> <tr> <td>Machining ☐</td> <td>Small Fab ☐</td> <td>Prod. Eng. Coord. ☐</td> <td>Quality ☐</td> </tr> <tr> <td>Thermoforming ☐</td> <td>Finishing ☐</td> <td>Rec/Store/Packaging ☐</td> <td>Other ☐</td> </tr> <tr> <td>Large Fab ☐</td> <td>Composite ☐</td> <td>Supplier ☐</td> <td></td> </tr> </table>						Skid-tube ☐	Cross tube ☐	Water Jet ☐	Engineering ☐	Machining ☐	Small Fab ☐	Prod. Eng. Coord. ☐	Quality ☐	Thermoforming ☐	Finishing ☐	Rec/Store/Packaging ☐	Other ☐	Large Fab ☐	Composite ☐	Supplier ☐																																							
Skid-tube ☐	Cross tube ☐	Water Jet ☐	Engineering ☐																																																												
Machining ☐	Small Fab ☐	Prod. Eng. Coord. ☐	Quality ☐																																																												
Thermoforming ☐	Finishing ☐	Rec/Store/Packaging ☐	Other ☐																																																												
Large Fab ☐	Composite ☐	Supplier ☐																																																													
Date :		Step #:		QTY Effective :			MRB (QSI042) Approval																																																								
Description Work Order Deviation				Disposition				Completed By Lead hand / Supervisor Approval Verification QC / QA Coordinator Approval																																																							
Root Cause		FAULT CATEGORY																																																													
Environment ☐	Design ☐	Doc/Data ☐	Equip/Tooling ☐	Handling/Pre ☐	Material ☐	Internal Transport ☐	Tribal Knowledge ☐	LOA ☐	Substation ☐	Past Expiry Date ☐	Misidentified ☐	No Re-verification ☐	Operator ☐	Offset/Setup ☐	Supplier ☐	Training ☐	Use for Testing ☐	Poor Information ☐	Rushing ☐	Product Improvement ☐	Process Improvement ☐	Manufacturing Process ☐	Past Due ☐	Pressure/Forced ☐	Bending ☐	Centre Not Concentric ☐	Cracks ☐	Crimp/Kink/Ripple/Wave ☐	Cuffs ☐	Crushing ☐	Heat Treat ☐	Wave/Twist in Tube ☐	Marks/Chatter ☐	Temperature/Cure ☐	Set-up ☐	BOM/Route ☐	Broken/Damage/Defect ☐	Inspection Incomplete/Unqualified ☐	Contamination ☐	Countersink ☐	Cut Too Short ☐	Instructions Incomplete/Unclear ☐	Drill Holes ☐	Power Loss/Surge ☐	Folio/Program ☐	Grain ☐	Weld ☐	Wrong Stock Pulled ☐	Out of Sequence ☐	Off-set ☐	Mislabeled ☐	Fit/Function ☐	Misaligned/off center ☐	Positioned Wrong ☐	Outside Dimensions ☐	Over/Under tolerance ☐	Part Incorrect ☐	Part Lost/Missing ☐	Part Moved ☐	Drawing ☐	Finish ☐	Misread ☐	Turning Sequence ☐
																						OTHER : _____																																									

DQA: _____ Date: _____



WORK ORDER NON-CONFORMANCE / UPDATE

QA Closed: _____ Date: _____

Work Order update only ☐

Work Order: _____ Part No. _____ NCR No. _____	DISPOSITION Rework ☐ Scrap ☐ Use-as-is ☐ Suspected Unapproved ☐	AGAINST DEPARTMENT/PROCESS Skid-tube ☐ Machining ☐ Thermoforming ☐ Large Fab ☐ Cross tube ☐ Small Fab ☐ Finishing ☐ Composite ☐ Water Jet ☐ Prod. Eng. Coord. ☐ Rec/Store/Packaging ☐ Supplier ☐ Engineering ☐ Quality ☐ Other ☐			
Date :	Step #:	QTY Effective :		MRB (QSI042) Approval	
Description Work Order Deviation		Disposition			
				Completed By	
				Lead hand / Supervisor Approval Verification	
				QC / QA Coordinator Approval	
Root Cause Environment ☐ Design ☐ Doc/Data ☐ Equip/Tooling ☐ Handling/Pre ☐ Material ☐ Internal Transport ☐ Tribal Knowledge ☐ LOA ☐ Substation ☐ Past Expiry Date ☐ Misidentified ☐ No Re-verification ☐ Operator ☐ Offset/Setup ☐ Supplier ☐ Training ☐ Use for Testing ☐ Poor Information ☐ Rushing ☐ Product Improvement ☐ Process Improvement ☐ Manufacturing Process ☐ Past Due ☐		FAULT CATEGORY Pressure/Forced ☐ Bending ☐ Centre Not Concentric ☐ Cracks ☐ Crimp/Kink/Ripple/Wave ☐ Cuffs ☐ Crushing ☐ Heat Treat ☐ Wave/Twist in Tube ☐ Marks/Chatter ☐ Temperature/Cure ☐ Set-up ☐ BOM/Route ☐ Broken/Damage/Defect ☐ Inspection Incomplete/Unqualified ☐ Contamination ☐ Countersink ☐ Cut Too Short ☐ Instructions Incomplete/Unclear ☐ Drill Holes ☐ Power Loss/Surge ☐ Folio/Program ☐ Grain ☐ Weld ☐ Wrong Stock Pulled ☐ Out of Sequence ☐ Off-set ☐ Mislabeled ☐ Fit/Function ☐ Misaligned/off center ☐ Positioned Wrong ☐ Outside Dimensions ☐ Over/Under tolerance ☐ Part Incorrect ☐ Part Lost/Missing ☐ Part Moved ☐ Drawing ☐ Finish ☐ Misread ☐ Turning Sequence ☐			
OTHER : ☐					

Work Order ID 141019

Tuesday, January 26, 2016 3:18:38 PM

141019

Page 3

Item ID: 646.3813 Accept ***N900040100*** Setup Start ***NS1***
Revision ID: Stop ***NS2***
Item Name: Strut Bracket
Start Date: 1/26/2016 Start Qty: 10.00 ***10*** Cust Item ID:
Required Date: 1/26/2016 Req'd Qty: 10.00 ***10*** Customer:
Reference:

Approvals: Process Plan: _____ Date: _____ Tooling: _____ Date: _____ Run Start ***NR1***
QC: _____ Date: _____ SPC (Y/N): _____ Date: _____ Stop ***NR2***

Sequence ID/ Work Center ID	Operation Description	Set Up/ Run Hours	Tool ID	Tool #	Plan Code	Accept Qty	Reject Qty	Reject Number	Insp. Stamp
155	QC5- Inspect part completeness to step on W/O	0.00							38 9-89
155									
QC	Memo	0.00							APR 25 2016
Quality Control									
180	Identify as per dwg & Stock Location: <u>CCF106</u>	0.00							DAS 9-89
180									
Packaging	Memo	0.00							APR 25 2016
Packaging	***IDENTIFY AS PER APICAL MPP-120 BY STAMPING P# AND REV***								
190	QC21- Final Inspection - Work Order Release	0.00							
190									
QC	Memo	0.02							MLJ APR 26 2016
Quality Control									

MLJ APR 26 2016

DQA: _____ Date: _____



WORK ORDER NON-CONFORMANCE / UPDATE

QA Closed: _____ Date: _____

Work Order update only ☐

Work Order: _____ Part No. _____ NCR No. _____	DISPOSITION Rework ☐ Scrap ☐ Use-as-is ☐ Suspected Unapproved ☐	AGAINST DEPARTMENT/PROCESS Skid-tube ☐ Machining ☐ Thermoforming ☐ Large Fab ☐ Cross tube ☐ Small Fab ☐ Finishing ☐ Composite ☐ Water Jet ☐ Prod. Eng. Coord. ☐ Rec/Store/Packaging ☐ Supplier ☐ Engineering ☐ Quality ☐ Other ☐			
Date :	Step #:	QTY Effective :		MRB (QSI042) Approval	
Description Work Order Deviation		Disposition		Completed By Lead hand / Supervisor Approval Verification QC / QA Coordinator Approval	
Root Cause Environment ☐ Design ☐ Doc/Data ☐ Equip/Tooling ☐ Handling/Pre ☐ Material ☐ Internal Transport ☐ Tribal Knowledge ☐ LOA ☐ Substation ☐ Past Expiry Date ☐ Misidentified ☐ No Re-verification ☐ Operator ☐ Offset/Setup ☐ Supplier ☐ Training ☐ Use for Testing ☐ Poor Information ☐ Rushing ☐ Product Improvement ☐ Process Improvement ☐ Manufacturing Process ☐ Past Due ☐		FAULT CATEGORY Pressure/Forced ☐ Bending ☐ Centre Not Concentric ☐ Cracks ☐ Crimp/Kink/Ripple/Wave ☐ Cuffs ☐ Crushing ☐ Heat Treat ☐ Wave/Twist in Tube ☐ Marks/Chatter ☐ Temperature/Cure ☐ Set-up ☐ BOM/Route ☐ Broken/Damage/Defect ☐ Inspection Incomplete/Unqualified ☐ Contamination ☐ Countersink ☐ Cut Too Short ☐ Instructions Incomplete/Unclear ☐ Drill Holes ☐ Power Loss/Surge ☐ Folio/Program ☐ Grain ☐ Weld ☐ Wrong Stock Pulled ☐ Out of Sequence ☐ Off-set ☐ Mislabeled ☐ Fit/Function ☐ Misaligned/off center ☐ Positioned Wrong ☐ Outside Dimensions ☐ Over/Under tolerance ☐ Part Incorrect ☐ Part Lost/Missing ☐ Part Moved ☐ Drawing ☐ Finish ☐ Misread ☐ Turning Sequence ☐			
		OTHER : ☐			

Picklist Print

Tuesday, January 26, 2016 3:18:37 PM

Page 1

Work Order ID: 141019

141019

Parent Item: 646.3813

646.3813

Parent Item Name: Strut Bracket

Start Date: 1/26/2016

Required Date: 1/26/2016

Start Qty: 10.00

Required Qty: 10.00

Comments: IPP REV:A NEW ISSUE 12-10-22 JLM VERIFIED:DD

Component Item ID/ Item Name	Replacement Item ID	Mfg/ Purch	Bin Item	Primary Location	Last Location	Route Seq ID	Unit of Measure	Qty on Hand	Qty per Kit	Total Qty	Qty Issued	Date Issued	Status
M7075T6A0.75X0.75X 0.060X0.062		Purchased	No				f	79.6233		1.157895			

***M7075T6A0 75X0 75X0 060X0**

7075T6 ANGLE .75" X .75" X .060" X .062"W

Location

Loc Qty

Loc Code

MAT051

79.623342

123947

79.623342

2.8651 S.C.L. 16-04-07

DQA: _____ Date: _____



WORK ORDER NON-CONFORMANCE / UPDATE

QA Closed: _____ Date: _____

Work Order update only ☐

Work Order: _____ Part No. _____ NCR No. _____		DISPOSITION Rework ☐ Scrap ☐ Use-as-is ☐ Suspected Unapproved ☐		AGAINST DEPARTMENT/PROCESS Skid-tube ☐ Machining ☐ Thermoforming ☐ Large Fab ☐ Cross tube ☐ Small Fab ☐ Finishing ☐ Composite ☐ Water Jet ☐ Prod. Eng. Coord. ☐ Rec/Store/Packaging ☐ Supplier ☐ Engineering ☐ Quality ☐ Other ☐					
Date :		Step #:		QTY Effective :			MRB (QSI042) Approval Completed By Lead hand / Supervisor Approval Verification QC / QA Coordinator Approval		
Description Work Order Deviation				Disposition					
Root Cause		FAULT CATEGORY							
Environment ☐	No Re-verification ☐	Pressure/Forced ☐	Temperature/Cure ☐	Power Loss/Surge ☐	Positioned Wrong ☐				
Design ☐	Operator ☐	Bending ☐	Set-up ☐	Folio/Program ☐	Outside Dimensions ☐				
Doc/Data ☐	Offset/Setup ☐	Centre Not Concentric ☐	BOM/Route ☐	Grain ☐	Over/Under tolerance ☐				
Equip/Tooling ☐	Supplier ☐	Cracks ☐	Broken/Damage/Defect ☐	Weld ☐	Part Incorrect ☐				
Handling/Pre ☐	Training ☐	Crimp/Kink/Ripple/Wave ☐	Inspection Incomplete/Unqualified ☐	Wrong Stock Pulled ☐	Part Lost/Missing ☐				
Material ☐	Use for Testing ☐	Cuffs ☐	Contamination ☐	Out of Sequence ☐	Part Moved ☐				
Internal Transport ☐	Poor Information ☐	Crushing ☐	Countersink ☐	Off-set ☐	Drawing ☐				
Tribal Knowledge ☐	Rushing ☐	Heat Treat ☐	Cut Too Short ☐	Mislabeled ☐	Finish ☐				
LOA ☐	Product Improvement ☐	Wave/Twist in Tube ☐	Instructions Incomplete/Unclear ☐	Fit/Function ☐	Misread ☐				
Substation ☐	Process Improvement ☐	Marks/Chatter ☐	Drill Holes ☐	Misaligned/off center ☐	Turning Sequence ☐				
Past Expiry Date ☐	Manufacturing Process ☐	OTHER : _____							
Misidentified ☐	Past Due ☐								

APICAL INDUSTRIES, INC.	ENGINEERING CHANGE NOTICE NO. 03697				SHEET 1 OF 1	
	DWG NO. 646.3800	REV: N/C	PREPARED BY B. PETERS	DATE: 11/14/12	EFFECT ON DWG ☐ INC. ☒ UNINC.	
	DWG TITLE: BRACKETS					
	APPROVED BY: ENGR <i>[Signature]</i>	MFG <i>[Signature]</i>	QC <i>[Signature]</i>	EFF: NEXT ORDER		
TRANSACTION CODES (TC) A-ADD C-CREATE R-REVISE D-DELETE	REASON: ADDED ALTERNATE MATERIAL.				ECR: D-12-006	

IS

1 PRIMARY MATERIAL: 7075-T651 ALUMINUM PER AMS-QQ-A-250/12.
ALTERNATE MATERIAL: 7075-T6511 ALUMINUM PER AMS-QQ-A-200/11.

SHEET 1, ZONE A2 IS:

STOP COPY
RETURN TO
ENGINEERING
CONTROLLED COPY
FOR AMENDMENT
FOR NOTICE
FOR ORDER
141019 MJS
1601-28


F/N	TC	PART NUMBER	QTY	DESCRIPTION	MATERIAL	SPECIFICATION
DOCUMENTS EFFECTED:					CHANGE CATEGORY	DER REVIEW REQUIRED
☐ RFMS ☐ MDL ☐ INSTALL INSTRU ☐ ICA ☐ BOM					☐ MAJOR ☒ MINOR	☐ YES ☒ NO

THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF APICAL INDUSTRIES ANY REPRODUCTION IN PART OR WHOLE WITHOUT THE WRITTEN PERMISSION OF APICAL INDUSTRIES IS PROHIBITED


REVISIONS			
REV.	DESCRIPTION	DATE	APPROVED

NOTES:

- 1 MATERIAL: ALUMINUM 7075-T651 AMS-QQ-A-250/12
- 2 FINISH: HARD ANODIZE IAW MIL-A-8625 TYPE III, CLASS 2, COLOR BLACK; CARDINAL 4860-50 PRETREATMENT PRIMER PRIME IAW MIL-P-23377J TYPE I CLASS N
3. DEBURR AND BREAK ALL SHARP EDGES
4. IDENTIFY IAW MPP-120



646.3810



UNINCORPORATED ELEM(3)




03697

		646.3814	WIPER BRACKET	△	△
		646.3813	STRUT BRACKET	△	△
		646.3812	GUSSET BRACKET	△	△
		646.3811	RADIUS BLOCK	△	△
		646.3810	BRACKET	△	△
QTY FIND #		PART #	DESCRIPTION	MATL	SPEC

QTY		PARTS LIST			
NEXT ASSY IS:		APICAL INDUSTRIES			
646.4000		2608 TEMPLE HEIGHTS DR.			
		OCEANSIDE, CA. 92056-3512 (760) 724-5300			
		BRACKETS			
		646.3800			
		UNLESS OTHERWISE SPECIFIED			
		DIMENSIONS ARE IN INCHES			
		TOLERANCES ARE:			
		FRACTIONS DECIMALS ± .005			
		ANGLES ± .5°			
		APICAL INDUSTRIES			
		2608 TEMPLE HEIGHTS DR.			
		OCEANSIDE, CA. 92056-3512 (760) 724-5300			
		BRACKETS			
		646.3800			
		UNLESS OTHERWISE SPECIFIED			
		DIMENSIONS ARE IN INCHES			
		TOLERANCES ARE:			
		FRACTIONS DECIMALS ± .005			
		ANGLES ± .5°			
		APICAL INDUSTRIES			
		2608 TEMPLE HEIGHTS DR.			
		OCEANSIDE, CA. 92056-3512 (760) 724-5300			
		BRACKETS			
		646.3800			
		UNLESS OTHERWISE SPECIFIED			
		DIMENSIONS ARE IN INCHES			
		TOLERANCES ARE:			
		FRACTIONS DECIMALS ± .005			
		ANGLES ± .5°			
		APICAL INDUSTRIES			
		2608 TEMPLE HEIGHTS DR.			
		OCEANSIDE, CA. 92056-3512 (760) 724-5300			
		BRACKETS			
		646.3800			
		UNLESS OTHERWISE SPECIFIED			
		DIMENSIONS ARE IN INCHES			
		TOLERANCES ARE:			
		FRACTIONS DECIMALS ± .005			
		ANGLES ± .5°			
		APICAL INDUSTRIES			
		2608 TEMPLE HEIGHTS DR.			
		OCEANSIDE, CA. 92056-3512 (760) 724-5300			
		BRACKETS			
		646.3800			
		UNLESS OTHERWISE SPECIFIED			
		DIMENSIONS ARE IN INCHES			
		TOLERANCES ARE:			
		FRACTIONS DECIMALS ± .005			
		ANGLES ± .5°			
		APICAL INDUSTRIES			
		2608 TEMPLE HEIGHTS DR.			
		OCEANSIDE, CA. 92056-3512 (760) 724-5300			
		BRACKETS			
		646.3800			
		UNLESS OTHERWISE SPECIFIED			
		DIMENSIONS ARE IN INCHES			
		TOLERANCES ARE:			
		FRACTIONS DECIMALS ± .005			
		ANGLES ± .5°			
		APICAL INDUSTRIES			
		2608 TEMPLE HEIGHTS DR.			
		OCEANSIDE, CA. 92056-3512 (760) 724-5300			
		BRACKETS			
		646.3800			
		UNLESS OTHERWISE SPECIFIED			
		DIMENSIONS ARE IN INCHES			
		TOLERANCES ARE:			
		FRACTIONS DECIMALS ± .005			
		ANGLES ± .5°			
		APICAL INDUSTRIES			
		2608 TEMPLE HEIGHTS DR.			
		OCEANSIDE, CA. 92056-3512 (760) 724-5300			
		BRACKETS			
		646.3800			
		UNLESS OTHERWISE SPECIFIED			
		DIMENSIONS ARE IN INCHES			
		TOLERANCES ARE:			
		FRACTIONS DECIMALS ± .005			
		ANGLES ± .5°			
		APICAL INDUSTRIES			
		2608 TEMPLE HEIGHTS DR.			
		OCEANSIDE, CA. 92056-3512 (760) 724-5300			
		BRACKETS			
		646.3800			
		UNLESS OTHERWISE SPECIFIED			
		DIMENSIONS ARE IN INCHES			
		TOLERANCES ARE:			
		FRACTIONS DECIMALS ± .005			
		ANGLES ± .5°			
		APICAL INDUSTRIES			
		2608 TEMPLE HEIGHTS DR.			
		OCEANSIDE, CA. 92056-3512 (760) 724-5300			
		BRACKETS			
		646.3800			
		UNLESS OTHERWISE SPECIFIED			
		DIMENSIONS ARE IN INCHES			
		TOLERANCES ARE:			
		FRACTIONS DECIMALS ± .005			
		ANGLES ± .5°			
		APICAL INDUSTRIES			
		2608 TEMPLE HEIGHTS DR.			
		OCEANSIDE, CA. 92056-3512 (760) 724-5300			
		BRACKETS			
		646.3800			
		UNLESS OTHERWISE SPECIFIED			
		DIMENSIONS ARE IN INCHES			
		TOLERANCES ARE:			
		FRACTIONS DECIMALS ± .005			
		ANGLES ± .5°			
		APICAL INDUSTRIES			
		2608 TEMPLE HEIGHTS DR.			
		OCEANSIDE, CA. 92056-3512 (760) 724-5300			
		BRACKETS			
		646.3800			
		UNLESS OTHERWISE SPECIFIED			
		DIMENSIONS ARE IN INCHES			
		TOLERANCES ARE:			
		FRACTIONS DECIMALS ± .005			
		ANGLES ± .5°			
		APICAL INDUSTRIES			
		2608 TEMPLE HEIGHTS DR.			
		OCEANSIDE, CA. 92056-3512 (760) 724-5300			
		BRACKETS			
		646.3800			
		UNLESS OTHERWISE SPECIFIED			
		DIMENSIONS ARE IN INCHES			
		TOLERANCES ARE:			
		FRACTIONS DECIMALS ± .005			
		ANGLES ± .5°			
		APICAL INDUSTRIES			
		2608 TEMPLE HEIGHTS DR.			
		OCEANSIDE, CA. 92056-3512 (760) 724-5300			
		BRACKETS			
		646.3800			
		UNLESS OTHERWISE SPECIFIED			
		DIMENSIONS ARE IN INCHES			
		TOLERANCES ARE:			
		FRACTIONS DECIMALS ± .005			
		ANGLES ± .5°			
		APICAL INDUSTRIES			
		2608 TEMPLE HEIGHTS DR.			
		OCEANSIDE, CA. 92056-3512 (760) 724-5300			
		BRACKETS			
		646.3800			
		UNLESS OTHERWISE SPECIFIED			
		DIMENSIONS ARE IN INCHES			
		TOLERANCES ARE:			
		FRACTIONS DECIMALS ± .005			
		ANGLES ± .5°			
		APICAL INDUSTRIES			
		2608 TEMPLE HEIGHTS DR.			
		OCEANSIDE, CA. 92056-3512 (760) 724-5300			
		BRACKETS			
		646.3800			
		UNLESS OTHERWISE SPECIFIED			
		DIMENSIONS ARE IN INCHES			
		TOLERANCES ARE:			
		FRACTIONS DECIMALS ± .005			
		ANGLES ± .5°			
		APICAL INDUSTRIES			
		2608 TEMPLE HEIGHTS DR.			
		OCEANSIDE, CA. 92056-3512 (760) 724-5300			
		BRACKETS			
		646.3800			
		UNLESS OTHERWISE SPECIFIED			
		DIMENSIONS ARE IN INCHES			
		TOLERANCES ARE:			
		FRACTIONS DECIMALS ± .005			
		ANGLES ± .5°			
		APICAL INDUSTRIES			
		2608 TEMPLE HEIGHTS DR.			
		OCEANSIDE, CA. 92056-3512 (760) 724-5300			
		BRACKETS			
		646.3800			
		UNLESS OTHERWISE SPECIFIED			
		DIMENSIONS ARE IN INCHES			
		TOLERANCES ARE:			
		FRACTIONS DECIMALS ± .005			
		ANGLES ± .5°			
		APICAL INDUSTRIES			
		2608 TEMPLE HEIGHTS DR.			
		OCEANSIDE, CA. 92056-3512 (760) 724-5300			
		BRACKETS			
		646.3800			
		UNLESS OTHERWISE SPECIFIED			
		DIMENSIONS ARE IN INCHES			
		TOLERANCES ARE:			
		FRACTIONS DECIMALS ± .005			
		ANGLES ± .5°			
		APICAL INDUSTRIES			
		2608 TEMPLE HEIGHTS DR.			
		OCEANSIDE, CA. 92056-3512 (760) 724-5300			
		BRACKETS			
		646.3800			
		UNLESS OTHERWISE SPECIFIED			
		DIMENSIONS ARE IN INCHES			
		TOLERANCES ARE:			
		FRACTIONS DECIMALS ± .005			
		ANGLES ± .5°			
		APICAL INDUSTRIES			
		2608 TEMPLE HEIGHTS DR.			
		OCEANSIDE, CA. 92056-3512 (760) 724-5300			
		BRACKETS			
		646.3800			
		UNLESS OTHERWISE SPECIFIED			
		DIMENSIONS ARE IN INCHES			
		TOLERANCES ARE:			
		FRACTIONS DECIMALS ± .005			
		ANGLES ± .5°			
		APICAL INDUSTRIES			
		2608 TEMPLE HEIGHTS DR.			
		OCEANSIDE, CA. 92056-3512 (760) 724-5300			
		BRACKETS			
		646.3800			
		UNLESS OTHERWISE SPECIFIED			
		DIMENSIONS ARE IN INCHES			
		TOLERANCES ARE:			
		FRACTIONS DECIMALS ± .005			
		ANGLES ± .5°			
		APICAL INDUSTRIES			
		2608 TEMPLE HEIGHTS DR.			
		OCEANSIDE, CA. 92056-3512 (760) 724-5300			
		BRACKETS			
		646.3800			
		UNLESS OTHERWISE SPECIFIED			
		DIMENSIONS ARE IN INCHES			
		TOLERANCES ARE:			
		FRACTIONS DECIMALS ± .005			
		ANGLES ± .5°			
		APICAL INDUSTRIES			
		2608 TEMPLE HEIGHTS DR.			
		OCEANSIDE, CA. 92056-3512 (760) 724-5300			
		BRACKETS			
		646.3800			
		UNLESS OTHERWISE SPECIFIED			
		DIMENSIONS ARE IN INCHES			
		TOLERANCES ARE:			
		FRACTIONS DECIMALS ± .005			
		ANGLES ± .5°			
		APICAL INDUSTRIES			
		2608 TEMPLE HEIGHTS DR.			
		OCEANSIDE, CA. 92056-3512 (760) 724-5300			
		BRACKETS			
		646.3800			
		UNLESS OTHERWISE SPECIFIED			
		DIMENSIONS ARE IN INCHES			
		TOLERANCES ARE:			
		FRACTIONS DECIMALS ± .005			
		ANGLES ± .5°			
		APICAL INDUSTRIES			
		2608 TEMPLE HEIGHTS DR.			
		OCEANSIDE, CA. 92056-3512 (760) 724-5300			
		BRACKETS			
		646.3800			
		UNLESS OTHERWISE SPECIFIED			
		DIMENSIONS ARE IN INCHES			
		TOLERANCES ARE:			
		FRACTIONS DECIMALS ± .005			
		ANGLES ± .5°			
		APICAL INDUSTRIES			
		2608 TEMPLE HEIGHTS DR.			
		OCEANSIDE, CA. 92056-3512 (760) 724-5300			
		BRACKETS			
		646.3800			
		UNLESS OTHERWISE SPECIFIED			
		DIMENSIONS ARE IN INCHES			
		TOLERANCES ARE:			
		FRACTIONS DECIMALS ± .005			
		ANGLES ± .5°			
		APICAL INDUSTRIES			
		2608 TEMPLE HEIGHTS DR.			
		OCEANSIDE, CA. 92056-3512 (760) 724-5300			
		BRACKETS			
		646.3800			
		UNLESS OTHERWISE SPECIFIED			
		DIMENSIONS ARE IN INCHES			
		TOLERANCES ARE:			
		FRACTIONS DECIMALS ± .005			
		ANGLES ± .5°			
		APICAL INDUSTRIES			
		2608 TEMPLE HEIGHTS DR.			
		OCEANSIDE, CA. 92056-3512 (760) 724-5300			
		BRACKETS			
		646.3800			
		UNLESS OTHERWISE SPECIFIED			
		DIMENSIONS ARE IN INCHES			
		TOLERANCES ARE:			
		FRACTIONS DECIMALS ± .005			
		ANGLES ± .5°			
		APICAL INDUSTRIES			
		2608 TEMPLE HEIGHTS DR.			
		OCEANSIDE, CA. 92056-3512 (760) 724-5300			
		BRACKETS			
		646.3800			
		UNLESS OTHERWISE SPECIFIED			
		DIMENSIONS ARE IN INCHES			
		TOLERANCES ARE:			
		FRACTIONS DECIMALS ± .005			
		ANGLES ± .5°			
		APICAL INDUSTRIES			
		2608 TEMPLE HEIGHTS DR.			
		OCEANSIDE, CA. 92056-3512 (760) 724-5300			
		BRACKETS			
		646.3800			
		UNLESS OTHERWISE SPECIFIED			
		DIMENSIONS ARE IN INCHES			
		TOLERANCES ARE:			
		FRACTIONS DECIMALS ± .005			
		ANGLES ± .5°			
		APICAL INDUSTRIES			
		2608 TEMPLE HEIGHTS DR.			
		OCEANSIDE, CA. 92056-3512 (760) 724-5300			
		BRACKETS			
		646.3800			
		UNLESS OTHERWISE SPECIFIED			
		DIMENSIONS ARE IN INCHES			
		TOLERANCES ARE:			
		FRACTIONS DECIMALS ± .005			
		ANGLES ± .5°			
		APICAL INDUSTRIES			
		2608 TEMPLE HEIGHTS DR.			
		OCEANSIDE, CA. 92056-3512 (760) 724-5300			
		BRACKETS			
		646.3800			
		UNLESS OTHERWISE SPECIFIED			
		DIMENSIONS ARE IN INCHES			
		TOLERANCES ARE:			
		FRACTIONS DECIMALS ± .005			
		ANGLES ± .5°			
		APICAL INDUSTRIES			
		2608 TEMPLE HEIGHTS DR.			
		OCEANSIDE, CA. 92056-3512 (760) 724-5300			
		BRACKETS			
		646.3800			
		UNLESS OTHERWISE SPECIFIED			
		DIMENSIONS ARE IN INCHES			
		TOLERANCES ARE:			
		FRACTIONS DECIMALS ± .005			
		ANGLES ± .5°			
		APICAL INDUSTRIES			
		2608 TEMPLE HEIGHTS DR.			
		OCEANSIDE, CA. 92056-3512 (760) 724-5300			
		BRACKETS			
		646.3800			
		UNLESS OTHERWISE SPECIFIED			
		DIMENSIONS ARE IN INCHES			
		TOLERANCES ARE:			
		FRACTIONS DECIMALS ± .005			
		ANGLES ± .5°			
		APICAL INDUSTRIES			
		2608 TEMPLE HEIGHTS DR.			
		OCEANSIDE, CA. 92056-3512 (760) 724-5300			
		BRACKETS			
		646.3800			
		UNLESS OTHERWISE SPECIFIED			
		DIMENSIONS ARE IN INCHES			
		TOLERANCES ARE:			
		FRACTIONS DECIMALS ± .005			
		ANGLES ± .5°			
		APICAL INDUSTRIES			
		2608 TEMPLE HEIGHTS DR.			
		OCEANSIDE, CA. 92056-3512 (760) 724-5300			
		BRACKETS			
		646.3800			
		UNLESS OTHERWISE SPECIFIED			
		DIMENSIONS ARE IN INCHES			
		TOLERANCES ARE:			
		FRACTIONS DECIMALS ± .005			
		ANGLES ± .5°			
		APICAL INDUSTRIES			
		2608 TEMPLE HEIGHTS DR.			
		OCEANSIDE, CA. 92056-3512 (760) 724-5300			
		BRACKETS			
		646.3800			
		UNLESS OTHERWISE SPECIFIED			
		DIMENSIONS ARE IN INCHES			
		TOLERANCES ARE:			
		FRACTIONS DECIMALS ± .005			
		ANGLES ± .5°			
		APICAL INDUSTRIES			
		2608 TEMPLE HEIGHTS DR.			
		OCEANSIDE, CA. 92056-3512 (760) 724-5300			
		BRACKETS			
		646.3800			
		UNLESS OTHERWISE SPECIFIED			
		DIMENSIONS ARE IN INCHES			
		TOLERANCES ARE:			
		FRACTIONS DECIMALS ± .005			
		ANGLES ± .5°			
		APICAL INDUSTRIES			
		2608 TEMPLE HEIGHTS DR.			
		OCEANSIDE, CA. 92056-3512 (760) 724-5300			
		BRACKETS			
		646.3800			
		UNLESS OTHERWISE SPECIFIED			
		DIMENSIONS ARE IN INCHES			
		TOLERANCES ARE:			
		FRACTIONS DECIMALS ± .005			
		ANGLES ± .5°			
		APICAL INDUSTRIES			
		2608 TEMPLE HEIGHTS DR.			
		OCEANSIDE, CA. 92056-3512 (760) 724-5300			
		BRACKETS			
		646.3800			
		UNLESS OTHERWISE SPECIFIED			
		DIMENSIONS ARE IN INCHES			
		TOLERANCES ARE:			
		FRACTIONS DECIMALS ± .005			
		ANGLES ± .5°			
		APICAL INDUSTRIES			
		2608 TEMPLE HEIGHTS DR.			
		OCEANSIDE, CA. 92056-3512 (760) 724-5300			
		BRACKETS			
		646.3800			
		UNLESS OTHERWISE SPECIFIED			
		DIMENSIONS ARE IN INCHES			
		TOLERANCES ARE:			
		FRACTIONS DECIMALS ± .005			
		ANGLES ± .5°			
		APICAL INDUSTRIES			
		2608 TEMPLE HEIGHTS DR.			
		OCEANSIDE, CA. 92056-3512 (760) 724-5300			
		BRACKETS			
		646.3800			
		UNLESS OTHERWISE SPECIFIED			
		DIMENSIONS ARE IN INCHES			
		TOLERANCES ARE:			
		FRACTIONS DECIMALS ± .005			
		ANGLES ± .5°			
		APICAL INDUSTRIES			
		2608 TEMPLE HEIGHTS DR.			
		OCEANSIDE, CA. 92056-3512 (760) 724-5300			

THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF
APICAL INDUSTRIES AND REPRODUCTION IN PART OR WHOLE WITHOUT
THE WRITTEN PERMISSION OF APICAL INDUSTRIES IS PROHIBITED.



REVISION			
REV	DESCRIPTION	DATE	APPROVED





NEXT ASSY (S)	ORIGINAL DATE 10/01/18	08/19/08	APICAL INDUSTRIES 2608 TEMPLE HEIGHTS DR. OCEANSIDE, CA. 92056-3512 (760) 724-5300		
	DRAWN BY J. GARDNER	CHECKED			
	DRAWING APPROVAL		BRACKETS		
	CONTRACT NO.				
UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES TOLERANCES ARE FRACTIONS DECIMALS ±.005 ANGLES ±.5°			SEE CASE CODE R 07/M26	DWG. NO. 646.3800	REV. N/C
			SCALE NONE	SHEET 2 OF 3	

THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF APICAL INDUSTRIES. ANY REPRODUCTION IN PART OR WHOLE WITHOUT THE WRITTEN PERMISSION OF APICAL INDUSTRIES IS PROHIBITED.

REVISIONS			
REV.	DESCRIPTION	DATE	APPROVED




646.3812





NEXT ASSY (S)	ORIGINATOR DATE	APICAL INDUSTRIES	
	10-19-08	2608 TEMPLE HEIGHTS DR.	
DESIGNER	10/19/08	OCEANSIDE, CA. 92056-3512 (760)724-5300	
DRAWING APPROVAL		BRACKETS	
CONTRACT NO.			
UNLESS OTHERWISE SPECIFIED			
DIMENSIONS ARE IN INCHES			
TOLERANCES ARE			
2 PLACE DIMENSIONS ±.005			
3 PLACE DIMENSIONS ±.001			
ANGLES ±.5°			
DATE	10/19/08	DWG. NO.	646.3800
SHEET	B	SCALE	NONE
REV.	N/C	SHEET 3 OF 3	

THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF APICAL INDUSTRIES ANY REPRODUCTION IN PART OR WHOLE WITHOUT THE WRITTEN PERMISSION OF APICAL INDUSTRIES IS PROHIBITED.

REVISIONS			
REV	DESCRIPTION	DATE	APPROVED





646.3813





NEXT ASSY (S)	ORIGINAL DATE 06-19-08	APICAL INDUSTRIES 2608 TEMPLE HEIGHTS DR. OCEANSIDE, CA. 92056-3512 (760)724-5300	
	DRAWN BY J. GARDNER		
	CHECKED BY J. GARDNER	BRACKETS	
	CONTRACT NO.		
UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES TOLERANCES ARE: FRACTIONS DECIMALS INCHES X .0005 ± .01		FILE FOLDER DWG NO. 646.3800	REV. N/C
SCALE NONE		SHEET 4 OF 5	

THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF
APICAL INDUSTRIES ANY REPRODUCTION IN PART OR WHOLE WITHOUT
THE WRITTEN PERMISSION OF APICAL INDUSTRIES IS PROHIBITED

REVISIONS			
REV	DESCRIPTION	DATE	APPROVED



646.3814



SECTION A-A

NEXT ASSY. IS	DATE	APICAL INDUSTRIES 2608 TEMPLE HEIGHTS DR. OCEANSIDE, CA. 92056-3512 (760)724-5300	
	08-16-93		
	DRAWN BY		
	CHECKED		
UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES TOLERANCES ARE: 3 PLACE DECIMALS ±.005 ANGLES ±.5°	DATE	BRACKETS	
	08-16-93		
	DRAWN BY		
	CHECKED		
SCALE		NONE	SHEET 5 OF 5



Dart Aerospace Ltd.
1270 Aberdeen Street
Hawkesbury, ON K6A 1K7
Tel: 613 632 9577
Fax: 613 632 1053

PURCHASE ORDER

Purchase Order ID PO32009

Purchase Order Date 4/12/2016

PO Print Date 4/15/2016

Page Number 1 of 4

Order From :

VC-ATG001

A.T.G. INDUSTRIES INC.
731 INDUSTRIELLE ROAD
ROCKLAND, ON K4K 1T2
CANADA

Ship To : DART AEROSPACE LTD
1270 ABERDEEN
HAWKESBURY, ON K6A 1K7
CANADA

E-MAILED

Contact Name

Vendor Phone 613-446-4544

Ship To Contact

Ship To Phone

Ship Via: VENDOR'S TRUCK

Ship Acct:

Buyer

Chantal Lavoie

Customer POID

Customer Tax #

10127-2607

Terms

Net 30

Currency

CAD

FOB

FCA - (Free Carrier)

Line Nbr	Reference Vendor Part Number Line Comments Delivery Comments	Description/ Mfg ID	Req Date/ Taxable Promise Date	CD	Req Qty/ Unit of Measure	PO Unit Price	Extended Price
1	142474	646.3310 UPPER CUTTER REV. N/C	4/22/2016 Yes 4/22/2016		12.00	\$18.10	\$217.20
FINISH: HARD BLACK ANODIZE AS PER IAW MIL-A-8625 TYPE III, CLASS 2 / PRIME AS PER IAW MIL-P-23377J TYPE 1 CLASS N							
Line Total:							\$217.20
2	142473	646.3011 RH HALF REV. N/C	4/22/2016 Yes 4/22/2016		10.00	\$10.25	\$102.50
FINISH: HARD BLACK ANODIZE AS PER IAW MIL-A-8625 TYPE III, CLASS 2 / PRIME AS PER IAW MIL-P-23377J TYPE 1 CLASS N							
Line Total:							\$102.50
3	141019	646.3813 STRUT BRACKET REV. N/C	4/22/2016 Yes 4/22/2016		10.00	\$6.10	\$61.00
FINISH: HARD BLACK ANODIZE AS PER IAW MIL-A-8625 TYPE III, CLASS 2 / PRIME AS PER IAW MIL-P-23377J TYPE 1 CLASS N							

Note:

4/15/2016

8p/6-04-25



A.T.G. INDUSTRIES INC.
731 INDUSTRIELLE STREET
ROCKLAND, ON K4K 1T2
Canada

Ph: (613) 446-4544

Fax: (613) 446-4556

Pack List

Number: 911581

Date: 22-Apr-16

To

Dart Aerospace Ltd
1270 Aberdeen St
Hawkesbury, ON K6A 1K7

Ship To

CHANTAL LAVOIE
DART AEROSPACE LTD
1270 ABERDEEN STREET
HAWKESBURY, ON K6A 1K7
Canada

Ph: 613 632-9577

Fax: 613 632-1053

Ph: 613 632-9577

Fax: 613 632-1053

Terms		Ship Via	
Quantity	Description		
	PLEASE REFERENCE THE PACK LIST NUMBER ON ALL CORRESPONDENCE TO THIS SHIPMENT. IF YOU HAVE ANY QUESTIONS, PLEASE CALL AT (613) 446-4544.		
12 ea	Part: 646.3310 UPPER CUTTER Job: 19433	PO: PO32009	Rev: N/C Line: 1
27 ea	Part: 646.3010 LH HALF Job: 19444	PO: PO32009	Rev: N/C Line: 10
10 ea	Part: 646.3011 RH HALF REV Job: 19434	PO: PO32009	Rev: N/C Line: 2
10 ea	Part: 646.3813 STRUT BRACKET Job: 19435	PO: PO32009	Rev: N/C Line: 3
25 ea	Part: 646.9910 STRUT Job: 19436	PO: PO32009	Rev: N/C Line: 4
6 ea	Part: 647.0310 CHANNEL Job: 19437	PO: PO32009	Rev: N/C Line: 5
6 ea	Part: 647.3914 BREAKAWAY Job: 19438	PO: PO32009	Rev: C Line: 6
1 ea	Part: ADMINISTRATION FEE ADMINISTRATION FEE Job: 19439	PO: PO32009	Rev: Line: 8

Sp/6-04-25



A.T.G. INDUSTRIES INC.
731 INDUSTRIELLE STREET
ROCKLAND, ON K4K 1T2
Canada

Ph: (613) 446-4544

Fax: (613) 446-4556

Pack List

Number: 911581

Date: 22-Apr-16

To

Dart Aerospace Ltd
1270 Aberdeen St
Hawkesbury, ON K6A 1K7

Ship To

CHANTAL LAVOIE
DART AEROSPACE LTD
1270 ABERDEEN STREET
HAWKESBURY, ON K6A 1K7
Canada

Ph: 613 632-9577

Fax: 613 632-1053

Ph: 613 632-9577

Fax: 613 632-1053

Terms		Ship Via	
Quantity	Description		
20 ea	Part: 650.9201 Eyelet Bracket Job: 19443	Rev: A	PO: PO32009 Line: 9
DATE: <u>APR 22, 2016</u>			
CERTIFIED SIGNATURE: <u>[Signature]</u>			
RECEIVER SIGNATURE: <u>Sp/6-04-25</u>			
Note: This Packing Slip may contain parts that have been PLATED. Items that are plated may be subject to natural tarnishing and it is suggested that they be inspected within 24 hours of receipt. CERTIFICATE OF CONFORMANCE A.T.G. INDUSTRIES INC. CERTIFIES THAT ALL ITEMS IN THIS SHIPMENT CONFORM TO REQUIREMENTS. MADE IN CANADA.			